Cumulative Index 1991

Volume 18

March	ECTOPIC PREGNANCY, pages 1–163
June	CRITICAL CARE IN OBSTETRICS, pages 165–389
September	LASERS IN GYNECOLOGY, pages 391–681
December	DIAGNOSTIC ULTRASONOGRAPHY, pages 683–969

Note: Page numbers of issue and article titles are in **boldface** type.

Abdominal circumference, to determine fetal age, 910–912, 924
Abortion, acute renal failure due to, 335
  for Eisenmenger syndrome, 241–242
  prior induced, and risk of ectopic pregnancy, 12
  recurrent spontaneous, and risk of ectopic pregnancy, 15
  spontaneous, vs. ectopic pregnancy, 59–60
  tubal, of ectopic pregnancy, 140–142
Abruptio placentae, due to trauma, in pregnancy, 375, 379
Acetylcholinesterase, in biochemical screening, of fetus, 886
Acute fatty liver of pregnancy, acute renal failure due to, 337
  vs. HELLP syndrome, 168–169, 191–192
Acute intermittent porphyria, in pregnancy, 209–210
Acute polyneuropathy, in pregnancy, 209
Acute renal failure, in pregnancy, **333–343**
  due to acute fatty liver of pregnancy, 337
  due to HELLP syndrome, 339–340
  due to infection, 334–335
  due to obstruction, 336
  due to preeclampsia-eclampsia, 336–337
  due to renal cortical necrosis, 337–338
  due to volume contraction, 335–336
  idiopathic postpartum, 338–339
  management of, 340–341
Acute tubular necrosis, in pregnancy, 190
Addison's disease, in pregnancy, 308–310
Adenomyosis, videolaseroscopy in, 598–599
Adhesiolysis, carbon dioxide lasers in, 540–543
  fiber-optic laser mini-laparoscopy in, 616
  KTP laser laparoscopy in, 610
  Nd:YAG laser laparoscopy in, 634
  videolaseroscopy in, 594–595
Adnexa, torsion of, vs. ectopic pregnancy, 67–68
Adnexal masses, videolaseroscopy for, 596–598
Adnexal structures, transvaginal ultrasonography of, in infertility patient, 763, 765–767
Adrenal insufficiency, in pregnancy, 308–310
Adult respiratory distress syndrome, in pregnancy, **273–287**, 296
  definition of, 274–276
  etiology of, 276
  historical aspects of, 274
  in systemic lupus erythematosus, 221–222
  long-term consequences of, 284
  pathology of, 279–280
  pathophysiology of, 277–279
  signs and symptoms of, 274–276
  treatment of, 280–284
Alpha fetoprotein, in biochemical screening, of fetus, 885
Alveolar hemorrhage, in systemic lupus erythematosus, in pregnancy, 221–222
Aminoglutethimide, for Cushing syndrome, in pregnancy, 308

Amniocentesis, first-trimester, 879–881
indications for, 880
risks of, 880–881
technique for, 880
vs. chorionic villus sampling, 798
Androscopy, with laser surgery, for human papillomavirus infection, in males, 527–528
Anemia, fetal, Doppler velocimetry of, 839
microangiopathic hemolytic, in HELLP syndrome, in pregnancy, 169
Anencephaly, transvaginal ultrasonography of, 739
Anesthesia, for videolaseroscopy, 593–594
Aneuploidy, fetal, ultrasonography of, 799–801, 803
Aneurysms, berry, and subarachnoid hemorrhage, in pregnancy, 205
of vein of Galen, transvaginal ultrasonography of, 744
Angiotensin converting enzyme inhibitors, for peripartum cardiomyopathy, 264
for peripartum renal crisis, 224–225
Antibiotics, for adult respiratory distress syndrome, in pregnancy, 281
Anticoagulant agents, in pregnancy, for prosthetic cardiac valves, 251–252
for thromboembolism, 354–358, 359, 361, 362, 364–365
Anticonvulsant drugs, maternal, fetal effects of, **933–951**
assessing teratogenicity, 934–935
cardiac, 938–939, 946
central nervous system, 937–938
due to carbamazepine, 943–944
due to hydantoin, 942–943
due to phenobarbital, 945
due to trimethadione, 944–945
due to valproic acid, 937–938, 939, 945–946
facial, 938, 946
limb, 939, 946
long-term, 939, 942
maternal epilepsy and, 935–937
minor, 939, 946
for central nervous system lupus, 219–220
for eclampsia, 202
for status epilepticus, 201
Antihypertensive agents, in pregnancy, for lupus nephritis, 217
for renal crisis, 224–225
for systemic lupus erythematosus, 215–216
Antiphospholipid antibodies, thromboembolism due to, in pregnancy, 363–364
Antithrombin III deficiency, thromboembolism due to, in pregnancy, 362–363
Antithrombolytic agents, for peripartum cardiomyopathy, 264
Antithrombotic agents, for prosthetic cardiac valves, in pregnancy, 251–252
Aorta, fetal, Doppler velocimetry of, 829
Aortic circulation, fetal, Doppler ultrasonography of, 859
Aortic insufficiency, in pregnancy, 248
Aortic stenosis, in pregnancy, 247–248
Appendectomy, videolaseroscopy in, 601
Appendicitis, vs. ectopic pregnancy, 64–66
Arachnoid cysts, transvaginal ultrasonography of, 743–744
Argon lasers, in operative laparoscopy, 550–551, 608–610
clinical studies of, 609
instruments for, 608–609
preclinical studies of, 609
technique for, 609–610
vs. carbon dioxide lasers, 610–611
Arias-Stella reaction, in ectopic pregnancy, 33
Arrhythmias, cardiac, fetal, echocardiography of, 820
in pregnancy, 252
Arterial blood gases, in thromboembolism, in pregnancy, 352
Arteriography, of thromboembolism, in pregnancy, 353–354
Arteriovenous malformations, and subarachnoid hemorrhage, in pregnancy, 205
Arthritis, rheumatoid, in pregnancy, 229–230
Asphyxia, fetal, ultrasonography of, 892–896
Aspiration pneumonia, in pregnancy, 294
Aspirin, for HELLP syndrome, in pregnancy, 172
Assisted ventilation, in pregnancy, for adult respiratory distress syndrome, 282, 283–284
for myasthenia gravis, 208
for respiratory insufficiency, due to pneumonia, 295–297
Atrial fibrillation, for cardiac arrhythmias, in pregnancy, 252
Atrial septal defect, in pregnancy, 239–240
Autoimmune disorders, vs. HELLP syndrome, in pregnancy, 192–193
Autonomic hyperreflexia, in pregnancy, 207

B-blockers, in pregnancy, for cardiac arrhythmias, 252
for pheochromocytoma, 310–311
Berry aneurysms, and subarachnoid hemorrhage, in pregnancy, 205
Beta-mimetic therapy, pulmonary edema due to, in pregnancy, 323–324

Bicarbonate replacement, for diabetic ketoacidosis, in pregnancy, 303–304
Bicornuate uterus, vs. ectopic pregnancy, 69
Biochemical screening, in first-trimester fetal diagnosis, 885–886
Biometry, fetal, to determine fetal growth and development, 912–924
Biparietal diameter, to determine fetal age, 910–912, 924
Bladder, endometriosis in, carbon dioxide laser laparoscopy for, 577, 580
  transvaginal ultrasonography of, 709
Blood flow, uterine, in ectopic pregnancy, Doppler ultrasonography of, 43
Bowel, transvaginal ultrasonography of, 707–709
Bowel lesions, and videolaseroscopy, 592–593
Brain, fetal, transvaginal ultrasonography of. See *Fetal central nervous system.*
Brain tumors, in pregnancy, 206

CA 125, in ectopic pregnancy, 25
Cachectin, in adult respiratory distress syndrome, in pregnancy, 277
Captopril, for peripartum cardiomyopathy, 264
  for peripartum renal crisis, 225
Carbamezepine, for maternal epilepsy, fetal effects of, 943–944
Carbon dioxide lasers. See also *Lasers.*
  advantages of, in lower genital tract surgery, 437
  in microsurgery. See *Microsurgery.*
  in operative laparoscopy, 549–550
    for endometriosis. See *Endometriosis.*
    vs. KTP and argon lasers, 610–611
  in salpingostomy, for ectopic pregnancy, 99–100
  in videolaseroscopy. See *Videolaseroscopy.*
  physical principles of, 400, 413–414
    in lower genital tract surgery, 440–453
      adjusting beam geometry, 449, 452
      choosing optimal temporal mode, 441–443
      delivering pulsed beam, 452–453
      delivering required energy dose, 444–446
      maximizing speed of vaporization, 443–444
      tailoring power density, 446–449
  surgical principles of, in lower genital tract surgery, 455–465
      choosing beam-delivery system, 455
      controlling depth, 459–460, 463, 465
      controlling intraoperative bleeding, 457
      delineating treatment margins, 457–459
      good exposure and perpendicular beam impact, 457
      minimizing thermal damage, 455–457
Carcinoma, ovarian, Doppler
    echocardiography and color flow mapping of, 850
  videolaseroscopy to stage, 600
Cardiac abnormalities, fetal, Doppler
    echocardiography and color flow mapping of, 847–848
  echocardiography of, 818–819
  management of, 819–820
  maternal anticonvulsant drugs and, 938–939, 946
  ultrasonography of, 928
Cardiac arrhythmias, fetal, echocardiography of, 820
Cardiac disease, in pregnancy, **237–256**
  acquired, 244–248
    aortic insufficiency, 248
    aortic stenosis, 247–248
    mitral insufficiency, 246–247
    mitral stenosis, 245–246
    pulmonic and tricuspid lesions, 245
  arrhythmias, 252
  cardiovascular surgery for, 252–253
  congenital, 239–244
    atrial septal defect, 239–240
    coarctation of aorta, 242–243
    Eisenmenger syndrome, 241–242
    patent ductus arteriosus, 240–241
    pulmonic stenosis, 243–244
    tetralogy of Fallot, 243
    ventricular septal defect, 240
  fetal considerations in, 244
  Marfan syndrome, 250
  maternal counseling for, 237–239
  myocardial infarction, 250–251
  peripartum cardiomyopathy. See *Peripartum cardiomyopathy.*
  prosthetic valves, 251–252
Cardiac hemodynamics, fetal, Doppler ultrasonography of, 861–863
Cardiomyopathy, peripartum. See *Peripartum cardiomyopathy.*
Cardiopulmonary bypass, in pregnancy, 253
Cardiotocography, of trauma, in pregnancy, 378–380
Cardiovascular surgery, in pregnancy, 252–253
Catheterization, pulmonary artery, in pregnancy, for adult respiratory distress syndrome, 282
  for pulmonary edema, 325, 326, 328
Central nervous system, fetal. See *Fetal central nervous system.*
Cerebral arteries, fetal, Doppler ultrasonography of, 859

Cerebral arteries *(Continued)*
Doppler velocimetry of, 829–830
Cerebral venous thrombosis, in pregnancy, 204–205
Cervical intraepithelial neoplasia, laser surgery for, **475–489**
definitions in, 477–478
historical aspects of, 475–477
KTP lasers, 487
patient and nursing instructions for, 485–486
results of, 486–487
shape of cone defect in, 478
technique for combination conization procedures, 484–485
technique for excisional conization, 481–483
technique for vaporization conization, 478–481
Cervix, transvaginal ultrasonography of, 700, 702
in infertility patient, 758, 763
Chemotherapy, for ectopic pregnancy, **123–134**
agents for, 124–125
and repeated ectopic pregnancies, 149–150
clinical experience with, 125–130
salpingocentesis in, 130–132
Chest physiotherapy, for respiratory insufficiency, due to pneumonia, in pregnancy, 294–295
Cholecystectomy, Nd:YAG laser laparoscopy in, 634
Chorea gravidarum, management of, 206
Chorionic villus sampling, 876–879
advantages of, 879
indications for, 876
risks of, 878–879
techniques for, 876–878
ultrasound-guided, 797–799
Choroid plexus, cysts of, transvaginal ultrasonography of, 743
Circulation, fetal, Doppler ultrasonography of, 856, 858–859, 861–863
Cleft lip, fetal, maternal anticonvulsant drugs and, 938
Cleft palate, fetal, maternal anticonvulsant drugs and, 938
Clomid, superovulation with, and risk of ectopic pregnancy, 13–14
Clomiphene citrate, superovulation with, transvaginal ultrasonography of, in infertility patient, 767–771
Coagulation system, in thromboembolism, in pregnancy, 346–348
Coarctation of aorta, in pregnancy, 242–243
Collagen vascular diseases, in pregnancy, **213–236**
dermatomyositis, 226–227
polyarteritis nodosa, 227–229
polymyositis, 226–227
rheumatoid arthritis, 229–230
systemic lupus erythematosus. See *Systemic lupus erythematosus.*
systemic sclerosis. See *Systemic sclerosis.*
Colloid osmotic pressure, in pulmonary edema, in pregnancy, 320, 323, 324, 325, 326
Complement system, in adult respiratory distress syndrome, in pregnancy, 277–278
Condylomas. See *Human papillomavirus infection.*
Congenital heart disease, fetal, ultrasonography of, 807
Connective tissue disorders, vs. HELLP syndrome, in pregnancy, 193
Continuous positive airway pressure, for respiratory insufficiency, due to pneumonia, in pregnancy, 297
Cornual resection, with salpingectomy, for ectopic pregnancy, 118–119
Corpus callosum, agenesis of, transvaginal ultrasonography of, 740
transvaginal ultrasonography of, 727, 731
Coumarin, for thromboembolism, in pregnancy, 357–358
Crown-rump length, to determine fetal age, 910–912, 924
Cul-de-sac fluid, transvaginal ultrasonography of, in infertility patient, 763
Culdocentesis, in ectopic pregnancy, 27–28, 58
Curettage, endometrial, in ectopic pregnancy, 32–33
Cushing syndrome, in pregnancy, 306–308
Cyclophosphamide, for lupus nephritis, in pregnancy, 217–218
Cyproheptadine, for Cushing syndrome, in pregnancy, 308
Cystic fibrosis, fetal, ultrasonography of, 803, 805
Cystic hygroma, fetal, ultrasonography of, 801, 803
Cystic kidney disease, fetal, ultrasonography of, 805
Cystic teratomas, Nd:YAG laser laparoscopy for, 634
Cysts, arachnoid, transvaginal ultrasonography of, 743–744
of choroid plexus, transvaginal ultrasonography of, 743
ovarian, transvaginal ultrasonography of, in infertility patient, 771
videolaseroscopy for, 597
vs. ectopic pregnancy, 60–62

peritoneal inclusion, vs. ectopic pregnancy, 69
peritubal, videolaseroscopy for, 597
Cytolytic chemicals, for human papillomavirus infection, 494–495
Cytotoxic agents, for lupus nephritis, in pregnancy, 217–218

Dandy-Walker malformation, transvaginal ultrasonography of, 740, 742
Dantrolene, for malignant hyperthermia, in pregnancy, 207
Deep venous thrombosis. See *Thromboembolism.*
Dermatomyositis, in pregnancy, 226–227
Diabetes, in pregnancy, Doppler ultrasonography of, 869
Diabetic ketoacidosis, in pregnancy, 301–304
Dialysis, peritoneal, for acute renal failure, in pregnancy, 341
Diazepam, in pregnancy, for eclampsia, 202
for status epilepticus, 200–201, 219
Digitalis, for peripartum cardiomyopathy, 264
Disseminated intravascular coagulation, vs. HELLP syndrome, in pregnancy, 189–192
Distal digital hypoplasia, in fetal hydantoin syndrome, 942
Diuretic agents, for pulmonary edema, in pregnancy, 328
Dobutamine, for peripartum cardiomyopathy, 267–268
Dopamine, for peripartum cardiomyopathy, 267–268
Doppler echocardiography, and color flow mapping, **845–851**
applications of, 847–848
of ectopic pregnancy, 849–850
of ovarian cancer, 850
of placenta, 849
of umbilical cord, 848–849
safety of, 846
Doppler ultrasonography, in clinical management, **853–874**
absent end-diastolic velocity in, and perinatal outcome, 866–868
efficacy of, 863–866
in adverse perinatal outcome, 864–866
in subnormal fetal growth, 863
gynecologic, 870–871
of diabetic pregnancy, 869
of multiple gestations, 868–869
of pregnancy-induced hypertension, 868
pathophysiology of, 853–863
in fetal circulation, 856, 858–859, 861–863
randomized clinical trial of, 869–870
of ectopic pregnancy, 41–53
color flow system in, 42
continuous wave devices in, 41–42
impedance measurements in, 42–43
ovarian flow studies in, 43, 45–46
placental flow studies in, 46–47, 49, 51
placentation process studies in, 51, 53
pulse duplex system in, 42
uterine blood flow studies in, 43
of infertility patient, color flow system in, 774
Doppler velocimetry, **823–843**
of fetal activity, 827
of fetal anemia, 839
of fetal aorta, 829
of fetal cerebral arteries, 829–830
of fetal renal artery, 829
of intrauterine growth retardation, 834–837
of multiple gestations, 837–838
of postdate pregnancy, 839
of pregnancy-induced hypertension, 830–834
of preterm labor, 838–839
of umbilical artery, 828–829
of uterine arteries, 830
physical principles of, 823–827
technique for, 827–830
Down syndrome, fetal, ultrasonography of, 799–800, 928–929
Ductal patency, fetal, Doppler echocardiography and color flow mapping of, 848
Dysplasias, skeletal, fetal, ultrasonography of, 805–806, 925

Echocardiography, Doppler. See *Doppler echocardiography.*
fetal. See *Fetal echocardiography.*
of peripartum cardiomyopathy, 263
Eclampsia, in HELLP syndrome. See *HELLP syndrome.*
in pregnancy, 201–203
acute renal failure due to, 336–337
vs. central nervous system lupus, 218–219
Ectopic pregnancy, after sterilization or anastomosis, 91–92
chemotherapy for. See *Chemotherapy.*
chronic, 89
diagnosis of, **19–37**, **39–54**, **55–72**
clinical presentation in, 56
culdocentesis in, 27–28, 58
Doppler ultrasonography in. See *Doppler ultrasonography.*

Ectopic pregnancy *(Continued)*
endometrial curettage in, 32–33
human chorionic gonadotropin in, 19–20, 22, 23, 25, 28–30, 32, 39–40, 56, 57–58
laboratory studies in, 22–27
laparoscopy in, 33, 58–59
patient history in, 21
physical examination in, 21–22
risk factors in, 55–56
ultrasonography in, 28–30, 56–58
differential diagnosis of, 33–34, 59–70
vs. endometriosis, 70
vs. gastrointestinal tract diseases, 64–66
vs. hyperstimulation syndrome, 62–63
vs. ovarian cysts, 60–62
vs. pelvic infection, 63–64
vs. spontaneous abortion, 59–60
vs. torsion, 67–70
vs. urinary tract diseases, 66–67
Doppler echocardiography and color flow mapping of, 849–850
epidemiology and etiology of, **1–17**
demographics in, 3–4
incidence in, 2–3
morbidity and mortality in, 4
pathophysiology in, 5–6
prevention in, 15–16
risk factors in, 7–15
expectant management of, **135–144**
spontaneous regression in, 135–140
tubal abortion in, 140–142
histopathology of, **73–94**
endometrial, 73–74
implantation, 74–75, 78, 84, 87–89
KTP laser laparoscopy for, 610
Nd:YAG laser laparoscopy for, 633
persistent, 89, 91, **153–159**
human chorionic gonadotropin in, 154
incidence of, 153–154
risk factors for, 157
salpingectomy fro, 113
signs and symptoms of, 154
treatment of, 154–155
prior tubal disease and, 92–93
recurrent ipsilateral, 91
repeated, **145–152**
in vitro fertilization for, 150
prior medical management and, 149–151
prior surgical management and, 148–149
prior tubal damage and, 145, 147
salpingectomy for, 112–113
salpingectomy for. See *Salpingectomy*.
salpingostomy for. See *Salpingostomy*.
types of, 34–35
videolaseroscopy for, 595–596
Edema, pulmonary. See *Pulmonary edema*.
Eisenmenger syndrome, in pregnancy, 241–242
Electrocardiography, in pregnancy, of pulmonary edema, 323
of thromboembolism, 353
Electrosurgery, and lasers, in operative laparoscopy, 548
Embryo transfer, transvaginal ultrasonography of. See *Infertility patient*.
Embryoscopy, in first-trimester fetal diagnosis, 883–885
potential applications of, 883–884
risks of, 884–885
technique for, 884
Enalapril, for renal crisis, in pregnancy, 225
Encephalocele, transvaginal ultrasonography of, 739–740
Encephalopathy, Wernicke, in pregnancy, 206
Endocarditis, in systemic lupus erythematosus, in pregnancy, 221
Endometrial ablation, lasers in, **637–647**
clinical considerations in, 643–644
contact vs. noncontact, 644
historical aspects of, 637–638
indications for, 638–639
Nd:YAG lasers, 639–643
protocol for, 641–642
results of, 645–646
technique for, 642–643
results of, 645–646
vs. resectoscopic ablation, 646
Endometriomas, Nd:YAG laser laparoscopy for, 630–632
Endometriosis, biopsy of, fiber-optic laser mini-laparoscopy for, 616
carbon dioxide laser laparoscopy for, **575–583**
excision in, 577–580
results of, 580–581
vaporization in, 576–577
KTP laser laparoscopy for, 609–610
Nd:YAG laser laparoscopy for, 632–633
support groups for, 581
videolaseroscopy for, 594
vs. ectopic pregnancy, 70
Endometrium, curettage of, in ectopic pregnancy, 32–33
histopathology of, in ectopic pregnancy, 73–74
transvaginal ultrasonography of, 703–705
in infertility patient, 757–758
Endoscopy, in first-trimester fetal diagnosis, 882
with operative laparoscopy, 565–566
Endovaginal ultrasonography, in overall gynecologic examination, **779–796**
future considerations in, 794–796
image labeling in, 783

in early pregnancy, 788, 790–791
in infertile patient, 794
patient preparation for, 781–782
postmenopause, 792, 794
probe preparation for, 781
to characterize consistency of pelvic structures, 785, 788
to confirm abnormal bimanual examination, 785
to confirm normal bimanual examination, 785
to identify findings missed in bimanual examination, 788
transducer orientation in, 782–783
Enzyme-linked immunoassays, in ectopic pregnancy, 22
Epilepsy, maternal, fetal effects of, 935–937. See also *Anticonvulsant drugs*.
Estriol, in biochemical screening, of fetus, 885–886
Exencephaly, transvaginal ultrasonography of, 739

Facial clefts, fetal, maternal anticonvulsant drugs and, 938, 946
Fallopian tubes. See also *Tubal*.
patency of, after salpingostomy, for ectopic pregnancy, 105
single, reproductive outcome in, after salpingostomy, for ectopic pregnancy, 106–107
transvaginal ultrasonography of, 706–707
in infertility patient, 763, 765
Fetal. See also *Fetus*.
Fetal biophysical profile scoring, 896–902
advantages of, 900–901
clinical interpretation of, 898–899
clinical results of, 899–900
disadvantages of, 901–902
technique for, 896–897
Fetal central nervous system, defects of, maternal anticonvulsant drugs and, 937–938
transvaginal ultrasonography of, **713–748**
for congenital brain anomalies, 737–744
disorders of diverticulation, 742
disorders of neural tube closure, 739–740, 742
disorders of size, 737–739
disorders of sulcation and migration, 742–743
formation and development of brain, 713–715
from 20 weeks to term, 731–737
developmental changes, 732
intracranial anatomy, 732, 734–737
technique for, 731–732
from 6 to 20 weeks, 715–731
corpus callosum, 727, 731
review of neuroanatomy, 715
Fetal echocardiography, **811–822**
anatomy of fetal heart vs. adult, 811
of cardiac abnormalities, 818–819
of cardiac arrhythmias, 820
patient selection for, 811–813
technique for, 813–816
Fetal hydantoin syndrome, clinical features of, 942–943
vs. fetal valproic acid exposure, 946
Fetoscopy, in first-trimester fetal diagnosis, 882–883
Fetus. See also *Fetal*.
effects of maternal anticonvulsant drugs on. See *Anticonvulsant drugs*.
first-trimester diagnosis of, **875–890**
amniocentesis in. See *Amniocentesis*.
biochemical screening in, 885–886
chorionic villus sampling in. See *Chorionic villus sampling*.
embryoscopy in. See *Embryoscopy*.
endoscopy in, 882
fetoscopy in, 882–883
isolation of trophoblasts in, 886
growth and development of, ultrasonography of, **907–931**
determination of fetal age, 910–912
determination of fetal growth from fetal biometry, 913–924
determination of fetal weight, 924–925
determination of gestational age from fetal biometry, 912–913
determination of growth of specific structures, 925, 928–929
fetal environment in, 909–910
growth potential, 908
measurement ratios in, 912
normal growth, 907–908
placenta in, 908–909
Fiber-optic lasers, in mini-laparoscopy. See *Mini-laparoscopy*.
Fimbrioplasty, carbon dioxide lasers for, 540–543
Fitz-Hugh-Curtis syndrome, Nd:YAG laser laparoscopy for, 634
Fluid resuscitation, for adult respiratory distress syndrome, in pregnancy, 281–282
5–Fluorouracil, for vulvar intraepithelial neoplasia, 507
Furosemide, for pulmonary edema, in pregnancy, 328

Gastrointestinal tract, diseases of, vs. ectopic pregnancy, 64–66

Gastroschisis, fetal, ultrasonography of, 806–807
Genital tract, lower, surgery on. See *Lower genital tract surgery.*
Glucocorticoids, in pregnancy, for adult respiratory distress syndrome, 281
for lupus nephritis, 217
for polyarteritis nodosa, 228
for polymyositis and dermatomyositis, 226
for systemic lupus erythematosus, 215, 216
Green spectrum lasers. See also *Lasers.*
physical principles of, 400
Growth retardation, intrauterine. See *Intrauterine growth retardation.*

Haloperidol, for chorea gravidarum, 206
Head circumference, to determine fetal age, 910–912, 924
HELLP syndrome, in pregnancy, **165–179**
acute renal failure due to, 339–340
clinical features of, 167–169, 182
differential diagnosis of, **181–198**
autoimmune disorders and vasculitis in, 192–193
disseminated intravascular coagulation in, 189–192
primary renal disease in, 193–194
thrombotic microangiopathies in, 175–176, 184–189
management of, 170–177
plasmapheresis in, 176–177
platelet transfusions in, 175
maternal counseling for, 177
pathology of, 169–170, 182
terminology and diagnosis of, 165–167, 183–184
postpartum, 175
Hematin, for acute intermittent porphyria, in pregnancy, 209–210
Hematomas, subcapsular liver, in HELLP syndrome, in pregnancy, 173–175
Hematoporphyrin derivative, in photodynamic therapy. See *Photodynamic therapy.*
Hemodialysis, for acute renal failure, in pregnancy, 341
Hemolytic uremic syndrome, vs. HELLP syndrome, in pregnancy, 175–176, 188–189
Hemorrhage, in pregnancy, alveolar, in systemic lupus erythematosus, 221–222
due to trauma, 375–376
subarachnoid, 205
vs. HELLP syndrome, 190–191
Hemostasis, in salpingostomy, for ectopic pregnancy, 102–103
lasers in, 425–426
in operative laparoscopy, 546–547
in vaginal surgery, 518
Heparin, for peripartum cardiomyopathy, 264
for peripartum thromboembolism, 354–357, 359, 361, 362, 364–365
Heterotopia, transvaginal ultrasonography of, 742–743
Holoprosencephaly, transvaginal ultrasonography of, 742
Human chorionic gonadotropin, after salpingostomy, for ectopic pregnancy, 103
in biochemical screening, of fetus, 886
in ectopic pregnancy, 19–20, 22, 23, 25, 28–30, 32, 39–40, 56, 57–58
chemotherapy and, 125–128
in expectant management, 137–140
in persistent ectopic pregnancies, 154
Human papillomavirus infection, incidence of, in males, 525
laser surgery for, **491–510**
complications of, 503
extensive, refractory, and neoplastic disease, 495–496, 500
focal condylomas of recent onset, 494–495
idiopathic vulvodynia in, 492–494
in males, **525–535**
androscopy with, 527–528
postoperative care of, 530, 532–533
results of, 533
technique for, 528–530
postoperative care of, 502–503
techniques for, 500–508
ablation of vulvar intraepithelial neoplasia, 502
destruction of exophytic condylomas, 500, 502
vulvar intraepithelial neoplasia and difficult condylomas, 503, 505–508
vaginal. See *Vaginal surgery.*
Hydantoin, for maternal epilepsy, fetal effects of, 942–943
Hydralazine, for peripartum cardiomyopathy, 264
Hydranencephaly, transvaginal ultrasonography of, 743
Hydrocephalus, congenital, transvaginal ultrasonography of, 737–739
Hydrocephaly, fetal, ultrasonography of, 928
Hydrocortisone, for adrenal insufficiency, in pregnancy, 309
Hydrodissection, in operative laparoscopy, 562–565
Hydronephrosis, fetal, ultrasonography of, 928

Hydrosalpinx, videolaseroscopy for, 594–595
Hyperparathyroidism, in pregnancy, 311–312
Hyperpigmentation, in adrenal insufficiency, in pregnancy, 309
Hyperreflexia, autonomic, in pregnancy, 207
Hyperstimulation syndrome, vs. ectopic pregnancy, 62–63
Hypertension, pregnancy-induced, Doppler ultrasonography of, 868
  Doppler velocimetry of, 830–834
  in systemic sclerosis, 225–226
Hyperthermia, malignant, in pregnancy, 207
Hyperthyroidism, in pregnancy, 304
Hypoparathyroidism, in pregnancy, 312–313
Hypovolemia, vs. HELLP syndrome, in pregnancy, 190–191
Hypoxia, in adult respiratory distress syndrome, in pregnancy, 282
Hysterectomy, videolaseroscopy to guide, 599–600

ICON assays, in ectopic pregnancy, 22
^{125}I fibrinogen scanning, of thromboembolism, in pregnancy, 351–352
Immunoglobulin, for lupus nephritis, in pregnancy, 218
Immunosuppressive agents, for peripartum cardiomyopathy, 264–265
Impedance plethysmography, of thromboembolism, in pregnancy, 350
Implantation, histopathology of, in ectopic pregnancy, 74–75, 78, 84, 87–89
Infections, in pregnancy, acute renal failure due to, 334–335
  in adult respiratory distress syndrome, 280–281
  pelvic, vs. ectopic pregnancy, 63–64
Infertility patient, endovaginal ultrasonography of, 794
  transvaginal ultrasonography of, **749–777**
    advantages of, 755–756
    color Doppler ultrasonography in, 774
    construction and limitations of equipment in, 752–753
    for abnormal ovarian structures, 771–774
    for adnexal structures, 763, 765–767
      fallopian tubes, 763, 765
      ovaries, 765, 767
    for controlled ovarian hyperstimulation, 767–771
    for cul-de-sac fluid, 763
    for nonpregnant uterus, 757–763
      cervix, 758, 763
      endometrium, 757–758
    historical aspects of, 750–751
    limitations of resolution in, 753–755
    orientation to pelvic blood vessels, 756–757
    physical properties of ultrasonography, 751–752
    techniques for, 755–756
    types of scanners in, 752
Iniencephaly, transvaginal ultrasonography of, 740
Inotropic agents, for peripartum cardiomyopathy, 267–268
Interferons, for vulvar intraepithelial neoplasia, 507–508
Intestines, endometriosis in, carbon dioxide laser laparoscopy for, 577–578
Intrapleural pressures, in adult respiratory distress syndrome, in pregnancy, 282–283
Intrauterine devices, and risk of ectopic pregnancy, 8–10
Intrauterine growth retardation, Doppler ultrasonography of, 863
  Doppler velocimetry of, 834–837
  fetal biometry to assess, 914
In vitro fertilization, and risk of ectopic pregnancy, 14–15, 120
  for repeated ectopic pregnancies, 150
  transvaginal ultrasonography of. See *Infertility patient*.
Ion lasers. See also *Lasers*.
  physical principles of, 400
Ischemic stroke, in pregnancy, 203–204

Ketoacidosis, diabetic, in pregnancy, 301–304
Ketoconazole, for Cushing syndrome, in pregnancy, 308
Kidney disease, cystic, fetal, ultrasonography of, 805
KTP lasers. See also *Lasers*.
  for cervical intraepithelial neoplasia, 487
  in operative laparoscopy, 550–551, 605–608
    clinical studies of, 606
    instruments for, 605–606
    preclinical studies of, 606
    results of, 608
    technique for, 606–608
    vs. carbon dioxide lasers, 610–611
    vs. Nd:YAG lasers, 623–624
  physical principles of, 400
KTP-532 lasers, in salpingostomy, for ectopic pregnancy, 99, 101

Labor, preterm, Doppler velocimetry of, 838–839

Laparoscopy, in ectopic pregnancy, 33, 58–59
in salpingostomy, for ectopic pregnancy, 98–101
mini. See *Mini-laparoscopy*.
operative. See *Operative laparoscopy*.
Laparotomy, previous, and pregnancy outcome, 543
and videolaseroscopy, 592
salpingostomy at, for ectopic pregnancy, 101–102
Laser surgeons, credentialing of, 661–663
postgraduate courses for, 663–665
Lasers. See also specific types, e.g., *Carbon dioxide lasers*.
clinical research on, **667–676**
biases in, 671–672
case-control studies, 670
cohort studies, 669–670
heterodemic studies, 670–671
randomized clinical trials, 667–669
statistics in, 673–676
fiber-optic, in mini-laparoscopy. See *Mini-laparoscopy*.
for cervical intraepithelial neoplasia. See *Cervical intraepithelial neoplasia*.
for human papillomavirus infection. See *Human papillomavirus infection*.
in endometrial ablation. See *Endometrial ablation*.
in microsurgery. See *Microsurgery*.
in operative laparoscopy. See *Operative laparoscopy*.
in salpingostomy, for ectopic pregnancy, 99–101
in vaginal surgery. See *Vaginal surgery*.
physical principles of, **391–405**, **407–427**
active medium, 413
beam characteristics, 397–399
biophysics and tissue interaction, 420–424
carbon dioxide, 400, 413–414
elements of lasers, 394–397
energy concepts, 414–417
in lower genital tract surgery. See *Lower genital tract surgery*.
ion and KTP, 400
light and electromagnetic spectrum, 391–394
light emission, 411–413
light tissue interaction, 401–405
light waves, 408–410
Nd:YAG, 400–401
pulsing concepts and nonlinear effects, 417–419
surgical applications of, 424–426
thermal conductivity, fluence, and pulsing, 419–420
Libman-Sacks endocarditis, in systemic lupus erythematosus, in pregnancy, 221
Limb defects, fetal, maternal anticonvulsant drugs and, 939, 946
Lissencephaly, transvaginal ultrasonography of, 742–743
Liver, rupture of, in HELLP syndrome, in pregnancy, 173–175
Lower genital tract surgery, lasers in, **429–474**
carbon dioxide. See *Carbon dioxide lasers*.
choice of instrument, 430–437
absorptive characteristics in, 430–432
wavelength in, 432–437
definitions in, 429–430
safety of, 465, 469–473
chemical hazards in, 472
electrical hazards in, 473
faulty equipment in, 465
fire hazards in, 471–472
judgment errors in, 469
operator training in, 465, 469
optical hazards in, 469, 471
skin hazards in, 471
Lumbar disc disease, in pregnancy, 207

Magnesium sulfate, for eclampsia, in pregnancy, 202–203
Malignancies, photodynamic therapy for, 655–656
Malignant hyperthermia, in pregnancy, 207
Marfan syndrome, in pregnancy, 250
Menopause, endovaginal ultrasonography after, 792, 794
Metabolic emergencies, in pregnancy, **301–318**
adrenal insufficiency, 308–310
Cushing syndrome, 306–308
diabetic keotacidosis, 301–304
hyperparathyroidism, 311–312
hypoparathyroidism, 312–313
pheochromocytoma, 310–311
thyroid crisis, 304–306
Methotrexate, for ectopic pregnancy. See *Chemotherapy*.
Methylprednisolone, for lupus nephritis, in pregnancy, 217
Metyrapone, for Cushing syndrome, in pregnancy, 308
Microangiopathies, thrombotic, vs. HELLP syndrome, in pregnancy, 175–176, 184–189
Microcephaly, fetal, maternal anticonvulsant drugs and, 937
transvaginal ultrasonography of, 739
Micrognathia, fetal, ultrasonography of, 925, 928
Microsurgery, carbon dioxide lasers in, **537–544**

anastomosis, 538, 539, 542
fimbrioplasty and adhesiolysis, 540–543
materials and methods for, 537–539
neosalpingostomy, 538, 539–540, 542–543
previous laparotomies, 543
results of, 539–542
Mifepristone, for ectopic pregnancy, 130
Military antishock trousers, for trauma, in pregnancy, 377
Mini-laparoscopy, fiber-optic lasers in, **613–617**
for adhesiolysis, 616
for endometrial biopsy, 616
for myomectomy, 616
technique for, 613–616
Mitral insufficiency, in pregnancy, 246–247
Mitral stenosis, in pregnancy, 245–246
Morphine sulfate, for pulmonary edema, in pregnancy, 327–328
Multiple gestations, Doppler ultrasonography of, 868–869
Doppler velocimetry of, 837–838
Myasthenia gravis, in pregnancy, 208–209
Myocardial infarction, in pregnancy, 250–251
Myocarditis, in systemic lupus erythematosus, in pregnancy, 221
Myomas, pedunculated, vs. ectopic pregnancy, 68–69
Myomectomy, fiber-optic laser mini-laparoscopy in, 616
Nd:YAG laser laparoscopy in, 634–635
videolaseroscopy in, 598–599
Myometrium, transvaginal ultrasonography of, 702

Nd:YAG lasers. See also *Lasers*.
in endometrial ablation. See *Endometrial ablation*.
in operative laparoscopy, 551–553, **619–636**
applications of, systems approach to, 628–630
clinical studies of, 619–620, 632–633
instruments for, 621–623
laboratory experiments on, 627–628
sapphire probe in, 624–627
technique for, 630–632
vs. KTP lasers, 623–624
in salpingostomy, for ectopic pregnancy, 100–101
physical principles of, 400–401
Neosalpingostomy, carbon dioxide lasers in, 538, 539–540, 542–543
KTP laser laparoscopy in, 610
Neural tube defects, fetal, maternal anticonvulsant drugs and, 937–938
transvaginal ultrasonography of, 739–740, 742
Neurectomy, presacral, videolaseroscopy in, 600
Neurologic emergencies, in pregnancy, **199–212**
acute intermittent porphyria, 209–210
acute polyneuropathy, 209
autonomic hyperreflexia, 207
brain tumor, 206
cerebral venous thrombosis, 204–205
chorea gravidarum, 206
eclampsia, 201–203
ischemic stroke, 203–204
lumbar disc disease, 207
malignant hyperthermia, 207
myasthenia gravis, 208–209
status epilepticus, 199–201
subarachnoid hemorrhage, 205
Wernicke encephalopathy, 206
Neutrophils, in adult respiratory distress syndrome, in pregnancy, 278–279
Nezhat-Dorsey irrigation pump, in videolaseroscopy, 588–591, 596–599
Nonsteroidal antiinflammatory drugs, for systemic lupus erythematosus, in pregnancy, 215
Nonstress test, vs. Doppler ultrasonography, as diagnostic tool, 864–865

Omphalocele, fetal, ultrasonography of, 806
Operative laparoscopy, lasers in, **545–553**, **555–567**
anatomy in, 560
argon lasers. See *Argon lasers*.
carbon dioxide lasers, 549–550
choice of laser in, 548–549
colored lasers, 550–551
complications of, 565
electrosurgery and, 548
endoscopy with, 565–566
for endometriosis. See *Endometriosis*.
hemostasis in, 546–547
hydrodissection in, 562–565
incisions in, 556–560
indications for, 555–556
instrument combinations in, 560–562
KTP lasers. See *KTP lasers*.
Nd:YAG lasers. See *Nd:YAG lasers*.
operating room organization in, **569–574**
audiovisual technician, 572
instruments, 573–574
nurses, 571
safety officer, 572
surgical assistant, 570
technicians, 570–571
pelvioscopic instruments and, 547

Operative laparoscopy *(Continued)*
video system in, 565
videolaseroscopy in. See *Videolaseroscopy.*
Osteoporosis, due to heparin therapy, for thromboembolism, in pregnancy, 356
Ovarian carcinoma, Doppler echocardiography and color flow mapping of, 850
videolaseroscopy to stage, 600
Ovarian hyperstimulation, transvaginal ultrasonography of, in infertility patient, 767–771
Ovaries, cysts of, videolaseroscopy for, 597
vs. ectopic pregnancy, 60–62
endometriosis in, carbon dioxide laser laparoscopy for, 576–578
function of, in ectopic pregnancy, Doppler ultrasonography of, 43, 45–46
transvaginal ultrasonography of, in infertility patient, 765, 767, 771–774
Oxygen supplementation, for respiratory insufficiency, due to pneumonia, in pregnancy, 295

Pachygyria, transvaginal ultrasonography of, 742–743
Patent ductus arteriosus, in pregnancy, 240–241
Pelvic inflammatory disease, and risk of ectopic pregnancy, 7–8
Pelvioscopy, instruments for, 547
Pelvis, infections of, vs. ectopic pregnancy, 63–64
torsion of, vs. ectopic pregnancy, 68–70
Perfusion scanning, of thromboembolism, in pregnancy, 353–354
Pergonal, superovulation with, and risk of ectopic pregnancy, 13–14
Pericarditis, in systemic lupus erythematosus, in pregnancy, 221
Peripartum cardiomyopathy, 248–250, **257–271**
clinical features of, 260–262
definition and natural history of, 257–258
incidence of, 258–259
management of, 262–268
antepartum, 262–265
intrapartum, 265–268
postpartum, 268
pathogenesis of, 259–260
prognosis for, 268–269
Peritoneal dialysis, for acute renal failure, in pregnancy, 341
Peritoneum, endometriosis in, carbon dioxide laser laparoscopy for, 576–578
Peritubal cysts, videolaseroscopy for, 597
Phenobarbital, for central nervous system lupus, in pregnancy, 220
for epilepsy, in pregnanyc, fetal effects of, 945
Phenoxybenzamine, for pheochromocytoma, in pregnancy, 310
Phenytoin, in pregnancy, for central nervous system lupus, 219–220
for eclampsia, 202
for status epilepticus, 201
Pheochromocytoma, in pregnancy, 310–311
Phosphate therapy, for hyperparathyroidism, in pregnancy, 312
Photodynamic therapy, **649–659**
future of, 656
gynecologic uses of, 654–656
historical aspects of, 649–650
ideal properties of, 650
in vivo effects of, 653–654
light sources and delivery systems in, 652
mechanisms of action of, 653
photosensitizers in, 651–652
tissue distribution of, 650–651
toxicology of, 650
Placenta, Doppler echocardiography and color flow mapping of, 849
in ectopic pregnancy, Doppler ultrasonography of, 46–47, 49, 51, 53
role of, in fetal growth and development, 908–909
Plasmapheresis, in pregnancy, for acute polyneuropathy, 209
for HELLP syndrome, 176–177
for lupus nephritis, 218
for myasthenia gravis, 209
Platelet plug formation, in thromboembolism, in pregnancy, 346–347
Platelet transfusions, for HELLP syndrome, in pregnancy, 175
Pleuritis, in systemic lupus erythematosus, in pregnancy, 220–221
Pneumonia, respiratory insufficiency due to, in pregnancy. See *Respiratory insufficiency.*
Polyarteritis nodosa, in pregnancy, 227–229
Polycystic ovarian syndrome, Nd:YAG laser laparoscopy for, 633–634
Polymicrogyria, transvaginal ultrasonography of, 742–743
Polymyositis, in pregnancy, 226–227
Polyneuropathy, acute, in pregnancy, 209
Porencephaly, transvaginal ultrasonography of, 743
Porphyria, acute intermittent, in pregnancy, 209–210
Positive end-expiratory pressure, in pregnancy, for adult respiratory distress syndrome, 283

for respiratory insufficiency, due to pneumonia, 296
Postdate pregnancy, Doppler velocimetry of, 839
Potassium chloride, in salpingocentesis, for ectopic pregnancy, 131
Prednisone, for lupus nephritis, in pregnancy, 217
Preeclampsia, in HELLP syndrome. See *HELLP syndrome.*
in pregnancy, acute renal failure due to, 336–337
pulmonary edema due to, 324–326
thromboembolism due to, 363
vs. central nervous system lupus, 218–219
vs. lupus nephritis, 216
vs. scleroderma renal crisis, 225
Pregnancy, complications of, acute renal failure. See *Acute renal failure.*
adult respiratory distress syndrome. See *Adult respiratory distress syndrome.*
cardiac disease. See *Cardiac disease.*
collagen vascular diseases. See *Collagen vascular diseases.*
deep venous thrombosis. See *Thromboembolism.*
HELLP syndrome. See *HELLP syndrome.*
metabolic emergencies. See *Metabolic emergencies.*
neurologic emergencies. See *Neurologic emergencies.*
pulmonary edema. See *Pulmonary edema.*
pulmonary embolism. See *Thromboembolism.*
respiratory insufficiency. See *Respiratory insufficiency.*
trauma. See *Trauma.*
diabetes in, Doppler ultrasonography of, 869
early, endovaginal ultrasonography of, 788, 790–791
ectopic. See *Ectopic pregnancy.*
hypertension in, Doppler ultrasonography of, 868
Doppler velocimetry of, 830–834
postdate, Doppler velocimetry of, 839
Pregnancy-associated plasma protein-A, in ectopic pregnancy, 25
Presacral neurectomy, videolaseroscopy in, 600
Preterm labor, Doppler velocimetry of, 838–839
Progesterone, in ectopic pregnancy, 26–27
Prostaglandin F2a, in salpingocentesis, for ectopic pregnancy, 131
Prosthetic cardiac valves, in pregnancy, 251–252
thromboembolism due to, 363
Protein C deficiency, thromboembolism due to, in pregnancy, 363
Protein S deficiency, thromboembolism due to, in pregnancy, 363
Pulmonary artery catheterization, in pregnancy, for adult respiratory distress syndrome, 282
for pulmonary edema, 325, 326, 328
Pulmonary capillary wedge pressure, in pulmonary edema, in pregnancy, 320, 323, 324, 325, 326
Pulmonary edema, in pregnancy, **319–331**
clinical features of, 322–323
diagnosis of, 322–323
due to beta-mimetic therapy, 323–324
due to preeclampsia, 324–326
due to stiff ventricle syndrome, 326–327
pathophysiology of, 319–322
treatment of, 327–329
Pulmonary embolism. See *Thromboembolism.*
Pulmonary hypertension, in systemic sclerosis, in pregnancy, 225–226
Pulmonic lesions, in pregnancy, 245
Pulmonic stenosis, in pregnancy, 243–244
Pyelonephritis, acute renal failure due to, in pregnancy, 335

Radiography, in pregnancy, for thromboembolism, 353
for trauma, 378
Raynaud's phenomenon, in systemic sclerosis, in pregnancy, treatment of, 223, 224
Red degeneration, transvaginal ultrasonography of, in infertility patient, 758, 763
Rehydration, for diabetic ketoacidosis, in pregnancy, 303
Remnant ovarian syndrome, videolaseroscopy for, 598
Renal artery, fetal, Doppler velocimetry of, 829
Renal circulation, fetal, Doppler ultrasonography of, 861
Renal cortical necrosis, acute renal failure due to, in pregnancy, 337–338
Renal crisis, in systemic sclerosis, in pregnancy, 224–225
Renal disease, primary, vs. HELLP syndrome, in pregnancy, 193–194
Renal failure, acute. See *Acute renal failure.*
Reproduction, assisted, and risk of ectopic pregnancy, 14–15, 120

Respiratory insufficiency, due to pneumonia, in pregnancy, **289–299**
assisted ventilation weaning in, 296–297
diagnosis of, 291–292
pathogenesis of, 293–294
pathophysiology of, 291
physiology of, 290–291
treatment of, 294–296
Resuscitation, in pregnancy, for thromboembolism, 358–359
for trauma, 376–377
Rheumatoid arthritis, in pregnancy, 229–230
RU 486, for ectopic pregnancy, 130

Salpingectomy, for ectopic pregnancy, **111–122**
and in vitro fertilization, 120
and repeated ectopic pregnancies, 148–149
indications for, 111–117
persistent ectopic pregnancies, 113
repeated ectopic pregnancies, 112–113
two damaged tubes vs. one, 113–114
vs. radical surgery, 114, 117
technique for, 117–120
anatomy in, 117–118
cornual resection, 118–119
vs. salpingo-oophorectomy, 119–120
Salpingocentesis, for ectopic pregnancy, 130–132
Salpingo-oophorectomy, Nd:YAG laser laparoscopy in, 634
videolaseroscopy in, 597
vs. salpingectomy, for ectopic pregnancy, 119–120
Salpingostomy, for ectopic pregnancy, **95–109**
and persistent ectopic pregnancies, 155
and repeated ectopic pregnancies, 148–149
indications for, 96–98
postoperative management of, 103–104
reproductive outcome after, 104–107
in women with single fallopian tubes, 106–107
pregnancy rate, 105
tubal patency, 105
technique for, 98–103
at laparotomy, 101–102
laparoscopic, 98–101
methods of hemostasis, 102–103
Salpingotomy, for ectopic pregnancy, videolaseroscopy in, 595–596
Schizencephaly, transvaginal ultrasonography of, 743
Sclerosis, systemic, in pregnancy. See *Systemic sclerosis.*
Sepsis, vs. HELLP syndrome, in pregnancy, 191
Skeletal dysplasias, fetal, ultrasonography of, 805–806, 925
Spina bifida, fetal, maternal anticonvulsant drugs and, 937–938
transvaginal ultrasonography of, 740
Status epilepticus, in pregnancy, 199–201
Sterilization, failed, and risk of ectopic pregnancy, 10–12, 91–92
reversal of, carbon dioxide lasers in, 540
Steroids, for adult respiratory distress syndrome, in pregnancy, 281
Stiff ventricle syndrome, pulmonary edema due to, in pregnancy, 326–327
Stillbirths, in insulin-dependent diabetics, 302
Stroke, ischemic, in pregnancy, 203–204
Subarachnoid hemorrhage, in pregnancy, 205
Superovulation, transvaginal ultrasonography of, in infertility patient, 767–771
with Clomid or Pergonal, and risk of ectopic pregnancy, 13–14
Systemic lupus erythematosus, in pregnancy, 213–222
cardiopulmonary features of, 220–222
central nervous system lupus in, 218–220
clinical features of, 214–215
lupus nephritis in, 216–218
treatment of, 215–216
vs. HELLP syndrome, 192–193
Systemic sclerosis, in pregnancy, 222–226
classification of, 222–223
pathogenesis of, 222
pulmonary hypertension in, 225–226
renal crisis in, 224–225
treatment of, 223, 224

Tetralogy of Fallot, in pregnancy, 243
Thrombocytopenia, due to heparin therapy, for thromboembolism, in pregnancy, 356
Thromboembolism, in pregnancy, **345–370**
coagulation and fibrinolysis in, 346–349
diagnosis of, 349–354
chest radiography in, 353
clinical, 349, 352
electrocardiography in, 353
^{125}I fibrinogen scanning in, 351–352
impedance plethysmography in, 350
laboratory tests in, 352
pulmonary arteriography in, 354
ultrasonography in, 349–350
venography in, 350–351

ventilation and perfusion scanning in, 353–354
due to antiphospholipid antibodies, 363–364
due to antithrombin III deficiency, 362–363
due to preeclampsia, 363
due to prosthetic cardiac valves, 363
due to protein C or S deficiency, 363
heparin anticoagulation for, 354–357, 359, 361, 362, 364, 365
incidence of, 345–346
oral anticoagulation for, 357–358
prevention of, 364–365
resuscitation for, 358–359
septic pelvic and ovarian, 363
surgical treatment of, 359–360
thrombolytic therapy for, 360
Thrombolytic agents, for thromboembolism, in pregnancy, 360
Thrombosis, cerebral venous, in pregnancy, 204–205
Thrombotic thrombocytopenic purpura, vs. HELLP syndrome, in pregnancy, 176, 186–188
Thyroid crisis, in pregnancy, 304–306
Thyrotoxicosis, in pregnancy, 304–306
Tissue necrosis factor, in adult respiratory distress syndrome, in pregnancy, 277
Tissue plaminogen activator, for thromboembolism, in pregnancy, 360
Tocodynamometry, of trauma, in pregnancy, 379
Torsion, adnexal, vs. ectopic pregnancy, 67–68
pelvic, vs. ectopic pregnancy, 68–70
Transvaginal ultrasonography, **683–692**
advantages and disadvantages of, 691
normal pelvic anatomy in, **693–711**
bladder, ureters, and urethra, 709
bowel, 707–709
fallopian tubes, 706–707
ligaments and muscles, 710
technique and instrumentation for, 693–695
uterus, 699–706
cervix, 700, 702
common variants of, 705–706
endometrium and endometrial cavity, 703–705
myometrium, 702
size and contour of, 703
vagina, 706
vascular anatomy, 695–699
of fetal central nervous system. See *Fetal central nervous system.*
of infertility patient. See *Infertility patient.*
safety considerations in, 692
transducers in, 683–685
views in, 685, 687, 690–691
Trauma, in pregnancy, **371–381**
evaluation and treatment of, 376–380
cardiotocography in, 378–380
laboratory tests in, 378
management protocol in, 376
maternal resuscitation in, 376–377
military antishock trousers in, 377
physical assessment in, 377–378
radiography in, 378
fetal physiology in, 372
fetomaternal hemorrhage due to, 375–376
maternal and fetal effects of, 373–375
maternal physiology in, 372–373
Tricuspid lesions, in pregnancy, 245
Trimethadione, for maternal epilepsy, fetal effects of, 944–945
Trisomy 13, fetal, ultrasonography of, 800–801
Trisomy 18, fetal, ultrasonography of, 800
Trophoblasts, isolation of, in first-trimester fetal diagnosis, 886
T-tube, for respiratory insufficiency, due to pneumonia, in pregnancy, 296
Tubal. See also *Fallopian tubes.*
Tubal abortion, of ectopic pregnancy, 140–142
Tubal adhesions, videolaseroscopy for, 594–595
Tubal damage, prior, and repeated ectopic pregnancies, 145, 147
Tubal disease, prior, and risk of ectopic pregnancy, 92–93
Tubal ligation, failed, and risk of ectopic pregnancy, 10–12, 91–92
Tubal surgery, prior, and risk of ectopic pregnancy, 13
Tumors, brain, in pregnancy, 206
fetal intracranial, transvaginal ultrasonography of, 744

Ultrasonography, Doppler. See *Doppler ultrasonography.*
of ectopic pregnancy. See *Doppler ultrasonography.*
endovaginal. See *Endovaginal ultrasonography.*
in fetal assessment, **891–905**
biophysical profile scoring in. See *Fetal biophysical profile scoring.*
of asphyxia, 892–896
in prenatal diagnosis, **797–809**
in first trimester, 797–799
of congenital heart disease, 807
of cystic fibrosis, 803, 805
of cystic kidney disease, 805
of fetal aneuploidy, 799–801, 803

Ultrasonography *(Continued)*
of skeletal dysplasias, 805–806
of ventral wall defects, 806–807
of ectopic pregnancy, 28–30, 40, 56–58
of fetal growth and development. , See *Fetus.*
of thromboembolism, in pregnancy, 349–350
transvaginal. See *Transvaginal ultrasonography.*
Umbilical artery, Doppler ultrasonography of, 856, 858–859
Doppler velocimetry of, 828–829
Umbilical cord, Doppler echocardiography and color flow mapping of, 848–849
Unicornuate uterus, vs. ectopic pregnancy, 69
Ureters, endometriosis in, carbon dioxide laser laparoscopy for, 577, 580
transvaginal ultrasonography of, 709
Urethra, transvaginal ultrasonography of, 709
Urinary tract, diseases of, vs. ectopic pregnancy, 66–67
obstruction of, acute renal failure due to, in pregnancy, 336
Urine chorionic gonadotropin, in ectopic pregnancy, 22, 23
Uterine arteries, Doppler velocimetry of, 830
Uterine fundus, disease of, videolaseroscopy for, 598–599
Uterus, blood flow in, in ectopic pregnancy, Doppler ultrasonography of, 43
rupture of, due to trauma, in pregnancy, 373
transvaginal ultrasonography of. See *Transvaginal ultrasonography.*
uni- or bicornuate, vs. ectopic pregnancy, 69

Vagina, transvaginal ultrasonography of, 706
Vaginal intraepithelial neoplasia. See *Vaginal surgery.*
Vaginal surgery, lasers in, **511–524**
choice of lasers, 511–512
for benign lesions, 519
for human papillomavirus infection, 519–521
for vaginal intraepithelial neoplasia, 521–522
postoperative follow-up of, 522–523
pretreatment diagnostics in, 512–516
for human papillomavirus infection, 513, 515–516
for vaginal intraepithelial neoplasia, 512–513
techniques for, 517–519
delivery system, 517
depth control, 518
hemostasis, 518
therapeutic end point, 518–519
thermal injury, 517
treatment margins, 517
Valproic acid, for maternal epilepsy, fetal effects of, 937–938, 939, 945–946
Vasculitis, in pregnancy, small-vessel, in rheumatoid arthritis, 229–230
vs. HELLP syndrome, 192–193
Vasoconstriction, in thromboembolism, in pregnancy, 346
Vasodilator agents, for pulmonary hypertension, in pregnancy, 225–226
Vasopressin, in hemostasis, in salpingostomy, for ectopic pregnancy, 102–103
Vein of Galen, aneurysms of, transvaginal ultrasonography of, 744
Velocimetry, Doppler. See *Doppler velocimetry.*
Venography, of thromboembolism, in pregnancy, 350–351
Ventilation, assisted. See *Assisted ventilation.*
Ventilation scanning, of thromboembolism, in pregnancy, 353–354
Ventral wall defects, fetal, ultrasonography of, 806–807
Ventricular septal defect, in pregnancy, 240
Ventricular septal defects, fetal, Doppler echocardiography and color flow mapping of, 847–848
Venturi mask, for respiratory insufficiency, due to pneumonia, in pregnancy, 295
Verapamil, for cardiac arrhythmias, in pregnancy, 252
Video system, in operative laparoscopy, 565
Videolaseroscopy, carbon dioxide laser in, **585–604**
anesthetic considerations in, 593–594
complications of, 601–602
for adnexal masses, 596–598
for appendectomy, 601
for disease of uterine fundus, 598–599
for ectopic pregnancy, 595–596
for endometriosis, 594
for gynecologic oncology, 600
for hysterectomy, 599–600
for presacral neurectomy, 600
for tubal adhesions and hydrosalpinx, 594–595
operating room setup for, 589
preoperative considerations in, 592–593
procedure for, 590–592
transition from laparoscopy to advanced operative laparoscopy, 586–589
Vitamin D, for hypoparathyroidism, in pregnancy, 313

Volume contraction, acute renal failure due to, in pregnancy, 335–336
Vulva, laser surgery on. , See *Human papillomavirus infection*.
Vulvar intraepithelial neoplasia, treatment of, 502, 503, 505–508
5–fluorouracil in, 507
interferons in, 507–508
laser surgery in, 502, 505–507

Warfarin, in pregnancy, for prosthetic cardiac valves, 251
for thromboembolism, 358
Wernicke encephalopathy, in pregnancy, 206

YAG lasers. See *Nd:YAG lasers*.